

HAFCO METALMASTER WE-100



Welding Fume Extractor



HAFCO METALMASTER WE-100 Welding Fume Extractor



Filter replacement Indicator



Easy Access to Filter

Description

Manufactured in Taiwan

Ideal for extracting harmful welding fumes

Features

- Portable and light weight design
- 390 m³/hour
- 2 x 800W 240V motor, 2 speeds
- 5 layers of filters
- Captures up to 99.97% of 0.3 micron noxious fumes
- Includes 3 metre x 2-1/2" hose and magnetic base hood with arm support

Includes

- **Stage 1.** Air enters from the extraction hood & passes through five layer of high efficiency filters
- **Stage 2.** The air passes through the first stainless steel layer net, which captures 95% of the sparks and steel chips
- **Stage 3.** Air then enters the 35% & 85% pre-filter for screening small particles and absorbs the oil
- **Stage 4.** The pleated filter captures up to 85% of the 1 micron particles & fine dust
- **Stage 5.** Finally the pleated HEPA filter cleans noxious fumes and captures up to 99.97% of the 0.3 micron particles.

HAFCO METALMASTER WE-100 Welding Fume Extractor

Specifications

ORDER CODE	W270
MODEL	WE-100
Extraction Arm/Hose Length (Metre)	3
Extraction Arm Diameter (mm)	63.5
Air Flow (m3/h)	~
Hepa Filter Area (m2)	~
Main Unit Size (w x l x h) (mm)	~
Voltage / Amperage (V / A)	240 / 10
Motor Power (W)	800 x 2
Nett Weight (kg)	28.4